

شهادة اعتماد

رقم ML 006



يقر نظام الاعتماد العراقي بأن:
مختبر البلاد للتحليلات المرضية
العراق - الديوانية - شارع الاطباء

تم اعتماده وفقا لمتطلبات المواصفة ISO 15189:2012
(المختبرات الطبية - متطلبات الكفاءة والجودة)

في مجال:
- اختبارات الكيمياء السريرية

شرط التوافق مع متطلبات المواصفة اعلاه ومتطلبات IQAS الخاصة بالاعتماد
مجال الاعتماد المرفق بالشهادة يعتبر جزءا لا يتجزأ منها

يمكن الحصول على الاصدار الاحدث من مجال الاعتماد من خلال الموقع الالكتروني

<https://iqas.mop.gov.iq>

يكون الاعتماد نافذا من 2025/2/27 الى 2027/2/26
تاريخ منح الاعتماد لأول مرة
2020/8/9

تحت
أ.د. محمد علي تميم
نائب رئيس مجلس الوزراء
وزير التخطيط

المهندسة
بان ابراهيم نوروز
مدير عام الهيئة

Ministry of planning
Iraqi Organization for Accreditation
IQAS

ACCREDITATION CERTIFICATE

No. ML 006



Iraqi Accreditation System Certify that:
Al- Belad Laboratory
Iraq –Al-Diwaniyah- Al-Atba'a street


Is accredited according to the requirements of the standard ISO 15189:2012
(Medical laboratories — Requirements for quality and competence)


In the field of:
- Clinical Chemistry Testing

This accreditation is subject to with the above standard & IQAS requirements
The scope of accreditation is attached to the certificate & considered as part of it

The most recent issue of the accreditation scope is available on IQAS website
<https://iqas.mop.gov.iq>

Accreditation is valid From 27/2/2025 To 26/2/2027
Initial accreditation date
9/8/2020


Eng. Ban Ibrahim Nawrooz
Director General of IQAS


Dr. Mohammed Ali Tamim
Deputy Prime Minister
Minister of Planning

	استمارة مجال الاعتماد Scope of Accreditation form	نظام الاعتماد العراقي IQAS
Organization address: Iraq –Al-Diwaniyah- Al-Atba'a street	Organization name: Al- Belad Laboratory	Accreditation no.: ML 006
Signature:  Eng. Ban Ibrahim Nawrooz Director General of IQAS	Accreditation is valid: From 27/2/2025 To 26/2/2027	Issue no.: 003

Branch/ Sector	Parameters/ Test	Type of Sample or System Material	Principle of Measurement	Instrument	Units
Clinical chemistry	Glucose	Serum	Hexokinase	Roche Cobas C-311	mg/dl
	Cholesterol		Cholesterol oxidase- IDMS		mg/dl
	Triglyceride		Lipase / <u>gpo – pap no correia</u>		mg/dl
	Creatinine		Jaffe rate blanked comp		mg/dl
	Urea		Ureas UV		mg/dl
	Total Protein		Biuret reaction, end point		g/dl
	HDL		Direct HDL		mg/dl
	Phosphate (inorganic)		phosphomolybdate UV		mg/dl
	Uric Acid		Uricase perox.noascorb. ox		mg/dl
	Albumin		Bromocresol green (BCG)		g/dl